

Introduction

- Familiarity with the principles of casualty triage.
- Perform casualty triage in a given situation.
- Understand patient triage vs. evacuation categories.

- Mass casualty (MASCAL) situations occur when the number of casualties exceeds the available medical capability to rapidly treat and evacuate them.
 - The actual numbers varies depending on available resources
 - May be a soldier medic having to manage more than one casualty at a time

System used for categorizing and sorting casualties according to severity of their injuries and available resources:

 Survey and classify casualties for the mos efficient use of avail medical personnel an supplies

 Treatment first towards the casualties who have the best chance to survive

 Locate troops with minor wounds a return them



- Determine the tactical and environmental situation.
 - Necessity to transport casualties to a more secure collection point for treatment.
 - Number and location of injured.
 - Severity of injuries.
 - Available assistance: self-aid, CLS, medical personnel.
 - Evacuation support capabilities and requirements.

- Establishing triage, treatment and holding areas.
 - May be established in existing MTF, an available shelter or outdoors





- Existing MTF for MASCAL stations:
 - Triage area
 - Easily accessed
 - Sufficient space
 - Controlled flow
 - Surgical detachment
 - Holding areas for each triage category
 - Marking (casualty triage tags)

- Outdoor MASCAL stations:
 - Overhead cover; available shade
 - Triage area accessible
 - Outdoors
 - Inclement weather planned for
 - Improvised shelter

- CBRN threat?



 Triage is the process of prioritizing soldiers on the basis of their individual needs for medical intervention.

The likely outcome of the individual casualty must be factored into the decision process prior to the commitment of limited resources.

 Casualties are generally sorted into the following four categories (or priorities).

* Remember: Triage is an ongoing process of <u>reassessment</u> which may change the casualties' triage category.

- Sort multiple casualties into <u>priorities</u>.
- Conventional battlefield casualties.
 - Immediate: immediate treatment to save life, limb or eyesight
 - Delayed: casualties who have less risk of losing life or limb
 - Minimal: "walking wounded", self-aid or buddyaid
 - Expectant: casualty so critically injured that only complicated and prolonged treatment offers any hope of improving life expectancy 12

- Integrated battlefield casualties.
 - Immediate: conventional life threats; no CBRN
 - Chemical Immediate: severe chemical life threats; no conventional threat
 - Delayed: no conventional life threats; mild chemical threat
 - Minimal: minor conventional injuries; no chemical
 - <u>Expectant</u>: conventional life threats; severe chemical threat

- Evacuation <u>Urgent</u>.
- Evacuation required as soon as possible; no later than 2 hours to save life, limb or eyesight.
 - Casualties condition(s) cannot be controlled and have the greatest opportunity for survival
 - Cardiorespiratory distress
 - Shock not responding to IV therapy

- Evacuation <u>Urgent</u> (cont'd).
 - Prolonged unconsciousness
 - Head injuries with signs of increasing ICP
 - Burns covering 20% to 85% of TBSA



- Evacuation <u>Urgent Surgical</u>.
- Evacuation required for casualties who must receive far forward surgical intervention to save life and stabilize for further evacuation.
 - Decreased circulation in the extremities
 - Open chest and/or abdominal wounds with decreased blood pressure
 - Penetrating wounds

- Evacuation <u>Urgent Surgical</u> (cont'd).
 - Uncontrollable bleeding or open fractures with severe bleeding
 - Severe facial injuries
 - Burns on hands, feet, face, genitalia or perineum, even if under 20% TBSA

- Evacuation <u>Priority</u>.
- Evacuation is required within 4 hours or casualty's condition could become worse and become an "urgent" or "urgent surgical" category condition.
 - Closed-chest injuries
 - Brief periods of unconsciousness
 - Soft tissue injuries and open or closed fractures

- Evacuation <u>Priority</u> (cont'd).
 - Abdominal injuries with no decreased blood pressure
 - Eye injuries that do not threaten eyesight
 - Spinal injuries

- Evacuation <u>Routine</u>.
- Evacuation required within <u>24 hours</u> for casualties requiring additional care.
 - Simple fractures
 - Open wounds including chest injuries without respiratory distress
 - Psychiatric cases
 - Terminal cases

- Evacuation <u>Convenience</u>.
- Evacuation of casualties by medical vehicle is a matter of convenience rather than necessity.
 - Minor open wounds
 - Sprains and strains



AST



- Prepare a standard nine-line Medevac request.
 - <u>Line 1</u>: Pickup location
 - Line 2: Radio frequency, call sign and suffix
 - Line 3: Number of casualtie precedence (evacuation) ca
 - Line 4: Special equipment required
 - Line 5: Number of casualtie by type (ambulatory vs. litter).

 Prepare a standard nine-line Medevac request.

- <u>Line 6</u>: Security of pickup site (*wartime*) or number/type of wounded injured

illness (peacetime)

Line 7: Method of marking pickup sit

Line 8: Casualty's nationality and status



- Prepare a standard nine-line Medevac request.
 - Line 9: NBC contamination (wartime) or terrain description (peacetime)
 - NBC contamination, if any <u>otherwise</u> <u>omit this line</u>
 - Terrain description including details of terrain features in and around proposed landing site

*As <u>a minimum</u>, the first five items <u>must</u> be provided in the exact sequence listed.

Summary

- A firm understanding of triage will help the soldier medic maximize resources and reduce complications.
- Identify steps in performing triage.
- Perform a triage in a given situation.
- Identify triage categories.
- Identify evacuation categories.

Questions?

